




## Tennis Equipment Catalog



5661 Brownfields Drive | Baton Rouge, LA 70811  
855-774-9974 | [info@qualitycourt.com](mailto:info@qualitycourt.com) | [www.qualitycourt.com](http://www.qualitycourt.com)





# Court Nets and Accessories

## CONSISTENT QUALITY:

With Douglas® nets, you get consistent, long-lasting performance. All Douglas® nets meet USTA or USAPA's requirements for official net sizes. In addition, Douglas® nets carry a pro-rated warranty guaranteeing superior durability and longer net life. See for yourself why Douglas® nets are the brand of choice. All nets include lacing cord. Center straps are sold separately.

## NETTING:

Netting is 1-3/4" square mesh braided solid core polyethylene unsurpassed for durability and weather resistance. Nets are made from 3.5 mm with 325# break strength or from 3.0 mm with 285# break strength.

## HEADBANDS:

Headbands are constructed using heavy-duty vinyl coated polyester or durable polyester webbing material that withstands the elements and won't shrink, rot or mold. Headbands are sewn to the netting with four rows of #32 white polyester thread - the heaviest in the industry.

## BOTTOM/SIDE POCKET TAPES:

Bottom and side pocket tapes are made of heavy-duty vinyl coated polyester and won't shrink, mildew or rot when exposed to the elements. The included 1/2" fiberglass dowels in the side pockets keep the net taut for a professional appearance. Heavy duty brass grommets and lacing cord lets you pull the net snugly up to each post.

## CABLE:

All Douglas® nets come complete with a vinyl coated, 5/32" galvanized steel cable with break strength of 2300#. Both ends have double-swaged loops.

## OPTIONS:

Some tennis nets have double netting on the top six rows. This allows for increased durability of the net since the top rows are the area of the net that tennis balls hit the most leading to net fatigue. Tapered nets are also available, nets are tapered in the middle for a cleaner look and increased durability.



		Headband		Netting			
Item #	Net	Material	Weight	Size	Break Strength	Top 6 Rows Double Mesh	Warranty
<b>PROFESSIONAL TENNIS NETS - - - USA Manufactured by Douglas® - - -</b>							
20045	TN-45	Double thick 100% polyester	48 oz.	3.5 mm	325 lb.	No	5 Year Warranty
<b>CHAMPIONSHIP TENNIS NETS</b>							
30036T	TN-36 -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	No	5 Year Warranty
30038TD	TN-36DMT -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	Yes	5 Year Warranty
30060	TN-28DM	Durable Polyester Web	N/A	3.5 mm	325 lb.	Yes	5 Year Warranty
<b>TOURNAMENT TENNIS NETS</b>							
30029	TN-30	Vinyl Coated Polyester	32 oz./sq. yd.	3.0 mm	285 lb.	No	4 Year Warranty
30030	TN-30DM -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	Yes	4 Year Warranty
<b>SPECIALTY TENNIS NETS</b>							
20305	STN-36, 42" x 32'9"L Singles Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	No	4 Year Warranty
20008	PTN-28, 32" x 21'10" Paddle Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20009	PLTN-28, 36" x 23' Platform Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
<b>PICKLEBALL NETS</b>							
20105	JTN-30, 36" x 21'9"L Standard Pickleball	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20103	PN-30, 31" x 21'9"L Shorter Pickleball Height	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty



TN-30 | Deluxe Center Strap



TN-36DMT



TN-36



TN-28DM

## Adjustable Center Straps

All straps are made from heavy-duty 2" polyester white webbing, nickel plated web slides and snaps.

### Velcro (Item # 20601)

Velcro adjustment, with swivel loop bolt snap

### Classic (Item # 20603)

Non-slip reverse web slide with double ended snap

### Deluxe (Item # 20600)

Two non-slip reverse web slides with swivel loop bolt snap

### Center Pipe Anchor (Item # 63428)

1.9" OD Galvanized Steel



## Replacement Cables

### 47' Tennis Cable (RVC-47) (Item # 20647)

### 27' Pickleball Cable (RVC-27) (Item # 20627)

1/4" Galvanized steel cable is vinyl coated and looped each end.



## Lacing Cord

### (TNLC) (Item # 10338)

Tennis net lacing cord includes (2) pieces of 4 mm white polyester braided cord 4' long and (2) pieces 3 mm braided polyethylene 15' long.



### Cord 3 mm (Item # 10337)

500' spool of 3 mm braided polyethylene

## Singles Sticks

### (Item # 34753)

Single sticks provide proper 42" net height for singles play.

These silver singles sticks are made from 3/4" aluminum with protective end caps and injection-molded "V" groove for the net headband. Sold per pair.





# Douglas® Tennis Posts



## Premier™ XS Posts

2 7/8"

- Plated Gears Green (Item # 63032) Black (Item # 63034)
- Stainless Steel Gears Green (Item # 63032SS) Black (Item # 63034SS)
- Brass Gears Green (Item # 63032BR) Black (Item # 63034BR)

The Premier™ XS Series is the Cadillac of tennis posts; providing first-class looks and durability for both indoor and outdoor court applications.

These 2-7/8" OD round posts are constructed of 8-gauge steel. Posts feature Allied's superior Flo-coat® galvanization process and are then finished in forest green or black baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

Posts are internally wound and feature a jam-free cable tensioning hardware system. Choose from plated steel, stainless steel or brass gears. Gear housings and caps are made of die-cast zinc. Gear function is 30:1 to ensure a smooth, easy operation. Flush mounted gear plate cover and removable handle are offered in chrome or brass finish.



Corresponding Ground Sleeves:  
24" PVC Ground Sleeve (GS-24PVC) (Item # 63164)  
24" Aluminum Ground Sleeve (GS-24RD) (Item # 63171)



## DTP-37

3"

The dependable DTP-37 post is a sturdy design that has been a tennis court staple for decades.

These 3" OD posts are comprised of extra-heavy 7-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear function is 30:1 to ensure a smooth, easy operation. The sleek gear housing and caps are made of cast aluminum alloy. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The side mounted removable handle is chrome plated.



Corresponding Ground Sleeves:  
24" Steel (GS-24) (Item # 63424)

## Sidewinder

2 7/8"

These recreational workhorse posts are designed for tough wear making them ideal for parks or school tennis courts.

These 2-7/8" classic external wind posts are constructed of 8 gauge steel. The posts, external gears and handle are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The aluminum deluxe reel offers a smooth adjusting operation with a side mounted removable handle.



Corresponding Ground Sleeves:  
24" PVC (GS-24PVC) (Item # 63164)  
24" Aluminum (GS-24RD) (Item # 63171)



## Premier™ RD

3"

Green (Item # 63050)  
Black (Item # 63051)

## Premier™ SQ

3"

Green (item # 63053)  
Black (item # 63054)

These popular posts provide classic good looks and durability for either indoor or outdoor court applications.

The Premier™ 3" OD round (RD) and 3" square (SQ) posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Flush mounted gear plate cover and removable handle are chrome plated.



Corresponding Ground Sleeves:  
24" Steel Ground Sleeve (GS-24) (Item # 63424) | 24" Square Aluminum Ground Sleeve (GS-24SQ/AL) (Item # 63172)



## Premier™ SQ Surface Mount

Black (Item # 63060)  
Eliminate ground sleeves and easily install these surface mount tennis posts indoor or outdoor. These surface mount posts boast all the features of the standard Premier™ SQ posts except they offer a heavy-duty bottom welded base plate to secure posts to concrete court surface.

## Douglas® PPS-SQ Heavy-Duty Portable Tennis Systems

42' Standard Tennis Court 42" h x 42' PPS-42SQ (Item # 63100)  
33' Singles Tennis Courts: 42" h x 33', PPS-33SQ (Item # 63133)

These portable systems raise the bar and are the gold standard when permanent installation is not desired for either indoor or outdoor court applications.



Portable PPS-SQ systems are easy-to-assemble and offer the same long-lasting features as the classic Premier™ SQ tennis post. The 3" square tennis post is constructed from heavy-duty 11-gauge steel and are internally wound featuring a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the 3.5 mm TN-28 tennis net and a Velcro center strap. Flush mounted gear plate cover and removable handle are chrome plated. System is available in (2) sizes, 42' x 42" Standard Tennis and 33' x 42" Singles Tennis. Custom sizes are available up to 42' long and 42" high. The transporter features heavy-duty non-scurr swivel casters; (2) End and (1) Center caster assembly. Casters allow unit to pivot one end at a time for smoother transportability.

## Replacement Reels

Replacement reels for external wind tennis posts. All hardware is included and handles are removable. Finished with black or green powder coat finish.



Deluxe Reel  
Green (Item # 53433)  
Black (Item # 53433B)  
Aluminum construction with a smooth operation. Slotted to fit most posts.

Reel-1  
Green (Item # 53432)  
Black (Item # 53432B)  
Heavy-duty steel construction with a smooth operation. Slotted to fit most posts.

## Ground Sleeve T-Plugs

2-7/8" & 3" OD (Item # 63418)  
3.5" OD (Item # 63419)  
3" SQ (Item # 63420)  
3.5" SQ (Item # 68155)

Steel t-plugs to cover and fit into Douglas® ground sleeves. Finished with a black baked on polyester powder coat finish.







## Pickleball Premier™ XS Posts

- Plated Gears Green (Item # 63074)  
Black (Item # 63075)
- Stainless Steel Gears Green (Item # 63074SS)  
Black (Item # 63075SS)
- Brass Gears Green (Item # 63074BR)  
Black (Item # 63075BR)

2 7/8"

The Cadillac of posts is also available for pickleball court construction measuring 54" in length to sit 36" above ground. These 2-7/8" OD round posts are constructed of 8-gauge steel. Posts are internally wound and feature a jam-free cable tensioning hardware system. Choose from plated steel, stainless steel or brass gears. Plated steel gear housings and caps are made of die-cast zinc. Gear function is 30:1 to ensure a smooth, easy operation. Posts feature Allied's® superior Flo-coat® galvanization process and are then finished in forest green or black baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Flush mounted gear plate cover and removable handle are chrome plated.

### Corresponding Ground Sleeves:

- 24" PVC (GS-24PVC) (Item # 63164)
- 24" Aluminum (GS-24RD) (Item # 63171)



## Pickleball Premier™ RD Posts

- Green (Item # 63070)
- Black (Item # 63071)

3"

These popular posts are designed for pickleball court construction measuring 54" in length to sit 36" above ground. The Premier™ 3" OD round (RD) posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Gear plate cover and removable handle are chrome plated.

### Corresponding Ground Sleeves:

- 24" Steel (GS-24) (Item # 63424)



## Pickleball Nets

These Douglas® nets meet the USA Pickleball's requirements for official Pickleball net sizes. Nets boast the same features as our Douglas' tennis nets and carry a 4 year warranty. Custom sizes are available.

- JTN-30 36"h x 21'9"l (Item # 20105)
- PN-30 -Optional shorter height 31"h x 21'9"l (Item # 20103)



## SW-36 Deluxe Pickleball Posts


- Green (Item # 63078)
- Black (Item # 63079)

2 7/8"

These recreational workhorse posts are designed for pickleball court construction measuring 54" in length to sit 36" above ground. These classic external wind posts are constructed of 8 gauge steel in 2-7/8" OD. The posts, external gears and handle are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. The aluminum deluxe reel offers a smooth adjusting operation with a side mounted removable handle.

### Corresponding Ground Sleeves:

- 24" PVC (GS-24PVC) (Item # 63164)
- 24" Aluminum (GS-24RD) (Item # 63171)



## Pickleball Premier™ SQ Surface Mount

- Black (Item # 63080)

Easily convert existing tennis courts to pickleball courts with these easy-to-install surface mount posts. These 36" high posts boast all the features of the standard Premier™ SQ posts except they offer a heavy-duty bottom welded base plate to secure posts to the playing surface. The Premier™ SQ posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Gear plate cover and removable handle are chrome plated.




## Douglas® PPS22-SQ Portable Pickleball

- 36"H x 22'L (Item # 63122)

Portable PPS-SQ systems are easy-to-assemble and offer the same long-lasting features as the classic Premier™ SQ tennis post. The 3" square post is constructed from heavy-duty 11-gauge steel. This portable system is supported by unique flat stabilizer legs that offer a greater range of play and increases player safety. Post is internally wound and features a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the PN-30 Pickleball net and a Velcro center strap. Flush mounted gear plate cover and removable handle are chrome plated. The end wheel assembly features heavy-duty non-scurf swivel casters that allow for smooth and easy mobility. The wheel assembly bracket simply flips up and out of the way while unit is in play.



Best application is for dedicated pickleball courts.



## Douglas® Pickle-MAX Portable Pickleball System

- 36"H x 22'L (Item # 33150)

The Pickle-MAX by Douglas® Portable Pickleball Set is a great solution to play Pickleball anywhere and it's the most robust unit in its class. At nearly 60 lbs., this system is heavy-duty enough not to be blown over by moderate wind, but also easy to move with the 4" wheels that can lock the system in place. The 4" wheels allow pickleballs to roll underneath, which is desired by many avid players. The framework is made from structural rectangular steel, the ends are 1-1/2" X 2-3/8" with 1-1/2" round upright poles, and 1-1/2" square pieces interconnect to form the base frame. All steel parts are finished with a black baked-on polyester powder coat to resist rust and increase durability. The net is made with durable high-density polyethylene netting with black vinyl side pockets and a white vinyl headband and center support strap. The net maintains proper net tension and with the center support strap, there's no sagging. The system can be used indoors or outdoors and is completely weather-treated for year-round use. The rolling carrying bag makes transporting easy, and assembly takes about 5 minutes. This portable system meets all USA pickleball specifications; 22' wide, 36" high at the ends, and 34" high at the center.





# Douglas® Pickleball Court Dividers

## Permanent Court Dividers

- Divider Post Set 2-7/8" OD (Item # 63200)
- Pole Pad with Adjustable Straps (Item # 29225)
- GS-24 RD/Alum Ground Sleeve (Item #63171)
- GS-24RD/PVC Ground Sleeve (Item #63164)

With Douglas® Pickleball court divider systems there's no more retrieving errant balls or getting interrupted by pickleballs from opposing courts. These Pickleball court dividers are manufactured to your own custom court dimensions. Court dividers are supported by standard height 4' high steel poles with your choice of mesh windscreen or divider netting. Maximum recommended width is up to 40' however, custom widths longer than 40' are available upon special request. The standard in-ground support poles are 8-gauge steel in 2-7/8" OD. Poles and hardware collars are finished with a black baked-on polyester powder coat to resist rust and increase durability. All hardware components for the tension cable system are comprised of galvanized steel for maximum strength and longevity.

Divider panels are custom fabricated from either VCP or VCP MAX windscreen mesh or from #420 Knotless Pylon netting. Both divider panel options are sewn with a top headband pocket that conceals all the tension hardware for an attractive finish with no exposed components. The sides and bottoms of the divider panels have reinforced tape borders that are double sewn with 1-1/2" solid vinyl and complete with #2 brass grommets spaced evenly for easy installation.

The optional wraparound pole pad is 4' high and is 17" wide to completely wrap around the pole. The pad is secured around the pole with double stitched Velcro straps. Padding is comprised of two-inch-thick high impact foam that is wrapped in all-weather vinyl that is mildew and UV resistant.

Complete system includes poles, divider panel, tension hardware. Ground sleeves and protective pole padding are optional. Additional court configuration options such as add-on corner and center poles can be added to your court divider layout.



## Movable Court Dividers

- 4'H x 42'L (Item # 63242)
- 4'H x 31'6"L (Item # 63232)
- 4'H x 21'L (Item # 63221)

With the Movable Douglas® Pickleball Court Divider Systems, there's no need to drill into your indoor court or install ground sleeves. Pickleball court separation is essential, so there's no more retrieving errant balls or getting interrupted by pickleballs from opposing courts.

The mesh court divider panel is supported by a movable 4' high steel base frame in three lengths. The divider panel is hung on a tensioned cable between the upright posts and secured along the bottom at each frame connection.

The 3" square vertical posts are constructed from heavy-duty 11-gauge steel. Heavy-duty base frame is also constructed of 3/16" wall 11-gauge 3" square steel. The divider system is finished with a black baked-on polyester powder coat to resist rust and increase durability.


All hardware components for the tension cable system are comprised of galvanized steel for maximum strength and longevity. Hardware includes 1/4" cable clamps, turnbuckles, and attachment components.

Divider panels are fabricated from VCP or VCP MAX windscreen at 3'6"H to fit inside the framework. Windscreen length is 4" less than the frame size. The mesh divider panel is sewn with a top headband pocket that conceals all the tension hardware for an attractive finish with no exposed components. The sides and bottoms of the divider panel have reinforced tape borders that are double-sewn with 1-1/2" solid vinyl and complete with #2 brass grommets spaced evenly for easy installation.

The mesh VCP windscreen material offers an excellent visual blockage, and custom digital printing can be printed directly on it. Printing is a great opportunity to brand your facility or to add advertisements to support sponsors.



SINGLE CURVE



ECONOMY FLAT



PROFESSIONAL FLAT



PROFESSIONAL FLAT

## Economy Flat

- 8'H x 12'W (Item # 34835A)
- 8'H x 16'W (Item # 34835B)
- 8'H x 20'W (Item # 34835C)

- 8' high panels, 1.75" thickness
- Sound deadening matrix interior
- Pressure treated 2 x 4's for horizontal supports
- Customer required to drill holes

## Slimline Flat

- 8'H x 12'W (Item # 34836A)
- 8'H x 16'W (Item # 34836B)
- 8'H x 20'W (Item # 34836C)

- 8' high panels, 1.75" thickness
- Interior compartmentalized metal frame
- Steel channels for horizontal supports
- Pre-drilled for easy installation

## Professional Flat

- 10'H x 12'W (Item # 34837A)
- 10'H x 16'W (Item # 34837B)
- 10'H x 20'W (Item # 34837C)

- 10' high panels, 2.5" thickness
- Heavy, reinforced metal, interior frame
- Sound deadening matrix interior
- Wheel attachments for easy installation
- Steel channels for horizontal supports

## Single Curved

- 10'H x 12'W (Item # 34838A)
- 10'H x 16'W (Item # 34838B)
- 10'H x 20'W (Item # 34838C)

- 10' high panels, 2.5" thickness
- Gentle concave curve - top to bottom
- Sound deadening matrix interior
- Wheel attachments for easy installation
- Steel channels for horizontal supports



## Metal Cooler Stand Set

(Item # 34912)  
Cooler stand set is equipped with a 5-gallon Igloo® cooler, a cup dispenser along the side and a receptacle.

## Court Caddy Set

Green (Item #34745) Black (Item #34744)  
Basket Only Green (Item # 34746) Black (Item # 34746B)  
A shelf and receptacle combo that keeps personal items in its place and trash where it belongs. Assembly fits most tennis posts by attaching with a simple hose clamp. Constructed of durable plastic. Receptacle hangs from the court caddy tray attachment.

## Score Post

(Item # 34732)  
Manual tennis score keeper uses tennis balls to score matches with standard scoring allowing for (3) traditional sets or an 8-game pro set. Has an all-metal support that attaches to the net post with quick release hose clamps for easy court change over.

## Court Numbers (Item # 34756)

Durable dark green plastic court signs with white printing. Sign measure 8" x 10". Choose from numbers 1 to 20. See Page 15 for Vinyl Court Signs.



## Court Signs

Court Rules (Item # 34872)  
Soft Sole Shoes Only (Item # 34872A)  
Courts Closed for Maintenance (Item # 34872B)  
Please Register (Item # 34872C)  
Please Keep Gates Closed (Item # 34872D)  
7" x 10" Durable dark green plastic court signs with white printing.



## Fence Cabana (Item # 33854)


The awning easily attaches to standard 10' high chain link fences. Fence-mounted awning gable design measures 10' Long x 4' Wide x 2'6" High. Framing is constructed of powder coated, heavy gauge galvanized steel. Frame folds at hinges for quick removal and storage. All-weather, fade resistant Sunbrella canvas comes with a 5 year fade warranty. Choose from standard colors forest green pacific blue, burgundy, black, and forest green stripe. Custom canvas colors are available at an additional charge.



## Classic Umpire Chair

Green (Item # 34777) Black (Item # 34778)  
The heavy-duty classic umpire chair is made of custom fabricated powder coated steel that will last a lifetime. Choose from standard rust proof green or black finish. Comfortable cushioned seat has removable cushions for storing out of the weather when not in use. Top and bottom weather treated wooden tables offer an easy access storage solution for officials and umpires alike.

## Court Accessories



## Cabana Benches

6' Model (4' long bench) (Item # 30021)  
8' Model (6' long bench) (Item # 30019)  
10' Model (8' long bench) (Item # 30020)  
The covered cabana benches are an attractive way to improve the look and functionality of your court. The square heavy-gauge steel frame has a black powder coat finish for ultimate protection. The Durawood plastic composite bench is maintenance free and weather resistant. Choose from three possible seating configurations. Standard colors are forest green, pacific blue, burgundy, black, and forest green stripe. Custom canvas colors and printing options are available at an additional charge.

## Court Dry Water Removers

CourtDry I (Item # 34735)  
Includes EZ RR-36 (Item # 34603)  
(Blue roller is 5/8" thick polyvinylaldehyde.)  
CourtDry II (Item # 34734)  
Includes SR-D RR-36 (Item # 34742)  
(Gray roller is 3/4" thick seamless polyurethane.)  
The tough PVA foam roller quickly absorbs and pushes away water. Powder coated stainless-steel frame has a T-socket that securely holds the roller and handle in place during use.





# Douglas® Windscreens/SportScreens

All Douglas® windscreen materials are made for all locations and weather conditions. All high-quality material options are UV treated, breathable and mildew resistant for maximum longevity. They are made to withstand the elements while keeping your facilities looking sharp. Choose from premium windscreen fabrics in both vinyl coated polyester (VCP) and polypropylene. Our range of materials include both open and closed mesh fabrics, standard and custom colors and full color digital printing.

Windscreens are available in standard 6 ft. and 9 ft. heights and in custom heights by request. Screen length is completely custom and made to order to the nearest inch; 60 ft. is the maximum recommended length per panel.



**Vinyl Coated Polyester**  
This versatile and attractive windscreen fabric is durable and boasts great weather resistance. Vinyl Coated Polyester (VCP) screens are available in a variety of colors and custom digital printing and logos can be printed directly on the material.


**Fabric:** 50% vinyl, 50% polyester, Open (VCP) - 9 x 12 weave



**Windbreak:** Open - 80%  
**Weight per square yard:** Open - 8 oz.  
**Tensile Strength:** Open - 230 x 200

**Colors:**  
Standard Colors: Dark Green or Black  
Additional Colors: Open Tournament Blue, Royal Blue, Red and Navy Blue  
Special Order Colors: Yellow, White, Purple, Orange, Burgundy, Gray, Brown or Bright Green

**Warranty:** 3-Year Limited




**VCP Max™**  
VCP Max goes one step further by offering maximum tensile strength and visual blockage. At 85% windbreak, VCP Max allows more airflow than closed mesh screens, but provides a better visual background than open mesh screens. This versatile and attractive windscreen fabric is durable and boasts great weather resistance. Custom digital printing and logos can be printed directly on the material.

**Fabric:** 16 x 17 weave  
**Windbreak:** 85%  
**Weight per square yard:** 10 oz..  
**Tensile Strength:** 395 x 401



**Colors:** Dark Green, Black or Open Tournament Blue  
**Warranty:** 4-Year Limited



**PolyPro™ Plus Premium**  
This 100% Polypropylene material is a vented open mesh windscreen pattern that allows air to easily pass through while still offering privacy. This open fence screen material puts the least amount of strain on your fence making it ideal for taller fences and windy areas where high airflow is a requirement. PolyPro™ Plus is a highly durable leno weave material that is heat-set so your screens will never shrink or change shape. Weather and UV protection is extruded into every fiber of the Polypropylene windscreen for maximum performance and longevity.

**Fabric:** 100% polypropylene;  
OMP: Open Mesh - 28 x 14 leno weave  
CMP: Closed Mesh - 30 x 16 leno weave  
**Windbreak:** Open - 85%  
Closed - 95%  
**Weight per square yard:** Open - 7 oz.  
Closed - 8 oz.  
**Tensile Strength:** Open - 380 x 185  
Closed - 450 x 215  
**Colors:** Dark Green or Black  
**Warranty:** 4-Year Limited



VCP with 3-Ply Hems



OMP with 4-Ply Hems



VCP with Center Tab (TAB)



OMP with Center Tab (TAB)



OMP with (CRT)  
Center Reinforcement Tape



## Douglas® Custom Fabrication

All our windscreen fabrics are custom made to order; we custom cut all panels to exact sizes to ensure an accurate fit. As the manufacturer we control every aspect of the production process. Every piece of material goes through quality control checks to ensure accuracy and precision. We pay meticulous attention to detail and guarantee consistent, quality craftsmanship. Every time.

### Extra Strong Hems

All panel perimeters are reinforced with durable lock-stitched sewn hems seamed with vinyl. #2 brass grommets are spaced every 12" on panel sides and every 18" along the top and bottom.

VCP and VCP MAX™ fabrics are hemmed with Douglas's 3-ply extra-strong hems. These durable sewn hems are seamed with solid vinyl inserts that are double sewn to 1-1/2 inches wide.

PolyPro™ Plus (OMP) windscreen material is hemmed with Douglas's 4-ply extra-strong hems. These durable hems include solid vinyl inserts as well as an 18 oz. vinyl overlay and are double sewn to 1-1/2 inches wide.

### Center Reinforcement

When installing windscreens, center reinforcement is recommended for anti-billowing on all panels that are taller than 6 ft. and where strong winds prevail. Center reinforcement allows the screen to be secured to the middle of the fence with tie wraps or lacing cord attachment. All Douglas® windscreens over 6 ft. in height include a center tab with grommets.

(TAB) VCP and VCP MAX™ fabrics are sewn with 18 oz. black vinyl and grommets are placed every 18 inches to secure the screen to the fence. The reinforcement tab is only visible on the backside of the fence screen for a cleaner installed appearance.

(TAB) PolyPro™ Plus (OMP) windscreen material are reinforced with Center tabs that are double stitched with 3" wide heavy polyester webbing and grommets are placed every 18" to secure the screen to the fence. The center tab grommets are only placed on the webbing and do not go through the fence screen material. This results in a cleaner installed appearance with no visible grommets on the front side of the material.

(CRT) Center Reinforcement Tape Optionally, 9' screens may substitute a Center Reinforcement Tape (CRT). CRT's are double stitched with 1-1/2" wide heavy polyester webbing and grommets are placed every 18". Unlike, standard Center Tabs, with Reinforcement tape, grommets are secured through the fabric and webbing; making the grommets visible on the front side of the fabric. With this method grommets can be laced to the fence with braided rope.

## Air Vents

Optional air vents allow air to pass through and help take the strain off your fence and windscreen. Air vents are recommended for screens taller than six feet and where high winds prevail.

### Die-Cut (AV) (Item # 21001)

Standard air vents are a die-cut and heat sealed in a half moon shape. Air vents measure 8" wide and are 5" high and are cut out on 10 ft. intervals on center. AV vents are recommended and are only available on vinyl-coated polyester material.

### Reinforced (AVR) (Item # 21002)

The Douglas® AVR vents are rectangular sewn cut outs that measure 10" wide x 8" high. These vents are perimeter hemmed with polyester webbing and are placed at 10 ft. intervals on center. AVR vents can be cut into any windscreen material.



## Douglas® Custom Graphics

Add digital printing to any VCP fabric and promote team spirit by adding your team affiliation, brand your facility with a company logo or simply add advertisements to support sponsors. Even simple lettering can make an enormous impact on the professional look on a facility.

Our elite printing process allows us to print directly on your material so there's no white back side like other digital printing companies. With the use of quality long lasting UV inks, your printing and logos become part of the material. The UV resistant inks keep their vibrancy for years and no extra coating is needed. Your investment will not crack, peel, or tear like alternative vinyl decals. Our advanced digital printing technology allows for more detailed multi-color capabilities and has a quick turnaround and greater accuracy.

Your digital printing will last the lifespan of the fence screen it is printed on. We back the quality of our digital printing with the same warranty as our windscreen materials.





# Windscreens/SportScreens

Windscreens are a great addition to complete any tennis or pickleball court because they offer many benefits including privacy, a solid background, wind reduction and just an overall more enhanced appearance. Unlike other sports facility fences, Tennis court chain link fences are typically 10 ft in height. The most common windscreen height that is ordered for a tennis court is 9 ft high and the screen is installed at the top of the fence leaving a foot at the bottom of the fence. This allows for routine mowing and weed eating without worrying about damaging the fence screens. Alternatively, some facilities prefer to order 6 ft high windscreens and center the panels on the 10 ft high fence.



## Installation Accessories

These industrial tie wraps have a plastic insert and are recommended for windscreen installation. Sold in packages of 100 qty.

TR-50P (Item # 31656) 7" Tie wrap, 50 lb. break strength

TR120P (Item # 31657) 8" Tie wrap, 120 lb. break strength

TR-50XL (Item # 31651) 12" Tie wrap, 50 lb. break strength

TR-120XL (Item # 31655) 14" Tie wrap, 120 lb. break strength

TR-120XL (Item # 31652) 17" Tie wrap, 120 lb. break strength



Plastic C-Snap

3" S-Hook

SH-3 (Item # 31663) 3" galvanized "S" hooks

C-3P (Item # 32675) 3" plastic C-snap

BNC (Item # 31600) Braided lacing cord 600' reels

BLR (Item # 31601M) Braided lacing rope black poly 3/16" 1000' reels 550 lb. break strength

Braided Rope



## Privacy Screen

This fence screen is an inexpensive solution for athletic fields, dugouts, bleachers or any other location where privacy or shade is desired. Privacy screen material is lightweight, tear resistant and will not unravel. Construction is 100% high density polyethylene that is weather resistant and UV stabilized. The material will not fade or deteriorate from natural elements and is also resistant to mold and mildew. Privacy Screen can be purchased by the roll to be cut-on-site or purchased in finished 50 foot panels. To maximize strength, an optional reinforced hem with grommets can be applied to the top and bottom edges. These optional hems will reduce the overall roll height. Custom printing is available, contact us with your dimensions for a quote.



### Finished Panels

Panels are finished with perimeter hems and grommets for extra reinforcement. Available in green or black. Shown far right.

68" x 50' Panels  
Green (Item # 26928G)  
Black (Item # 26928B)

92" x 50' Panels  
Green (Item # 26932G)  
Black (Item # 26932B)



### Material Specifications:

Construction: 85 – 90% Knit Raschel Fiber  
Content: 100% High Density Polyethylene  
Available Colors: Dark Green, Black, Blue, Brown or Beige

### Unfinished Rolls -Cut on site

44" x 150', for 4' fence (Item # 36924)  
68" x 150', for 6' fence (Item # 36928)  
92" x 150', for 8' fence (Item # 36932)

### Optional Reinforced Hem (Item # 26932)

Optional reinforced hem with grommets (shown right) can be applied to the top and bottom edges to maximize strength. Optional hems will reduce the overall roll height.



# Backdrop Curtains / Gym Dividers

Add or replace your existing Backdrop or Divider Curtains with Douglas® quality. Divider curtains allow you to make the most effective use out of your facility by dividing a large open space into smaller sections for various sports and other events. Divider curtains provide safety, visual privacy and a sound barrier between spaces. Curtains can be custom fabricated with all solid vinyl, partial vinyl/partial netting or mesh. Solid vinyl backdrop curtains can also be installed around the perimeter walls of your facility to provide a visual backdrop for players and aesthetic appeal to onlookers.


All curtains are customized to your specifications and produced from the most durable materials available. Choose from heavy duty 14 oz or 18 oz vinyl in a variety of colors. Options for the top portion of divider panels are constructed of FR open weave white vinyl mesh or netting. Besteel 170 Series Walk-draw track systems are available for hanging the curtains. Tracks are constructed of 14 gauge galvanized steel in both suspended and direct mount installation options.



## 14 OZ. FR VINYL



## 18 OZ. FR VINYL



### Material

Add or replace your existing backdrop curtains with Douglas® quality. Backdrop curtains are constructed of vinyl coated polyester that is mildew resistant and UV treated. Vinyl material meets California Fire Marshal requirements for flame resistance in indoor use. This strict code meets or exceeds most city requirements. Choose from 14 oz or 18 oz/square yard weights in a variety of colors. 18 oz is recommended for greater durability and life expectancy.

### Dimensions

Heights of curtains generally range from 9' to 12' and custom heights are available to meet your needs. The maximum recommended length per curtain is 60'.

### Fabrication

Seams are heat-sealed and reinforced hems are double sewn with lock stitching. Brass grommets are typically spaced every 12" on the top of backdrop curtains. The sides can be sewn with grommets or velcro to attach curtains together or without grommets to overlap curtains instead. Douglas can accommodate any special requirements such as placement of doorways, ventilation/viewing cut-outs with netting or mesh screen and divider wings.

### Custom Printing

Our vinyl fabrics are digitally printed with our high-quality UV digital printing process. Our elite printing process allows us to print directly on our material so there's no white back side like other digital printing companies. Your printing and logos become part of the material. Your investment will not crack, peel or tear like vinyl decals. Our digital printing allows for more detailed multi-color capabilities and has a quick turnaround and greater accuracy.

### Available Colors


Additional colors are available upon request.  
\*10 oz. White FR Vinyl is also available for High-Line Backdrop Curtains (to go above perimeter backdrop curtains)



Doors with Viewing Mesh Window



Viewing Mesh Window



Viewing Net Window





# Douglas® Divider Netting

1-1/2"  
Mesh

1-3/4"  
Mesh

Create a barrier in between tennis courts for uninterrupted play with Douglas® high quality divider nets. Court divider nets are made from knotless pylon and custom fabricated to your facility's required dimensions. We provide both indoor and outdoor court divider netting. Black and green styles are weather treated to withstand moisture and sunlight. Natural white netting is for indoor use only. Kickplates are available for indoor application in either 12" high Solid Vinyl or 18" high VCP. Tape borders are double sewn with 1-1/2" reinforced solid vinyl. Heavy-duty brass grommets are spaced 18" along top (standard). Additional grommets may be specified. Standard heights are 10' or 12' and custom heights are available.

## ○ #420 Knotless Pylon

This lightweight, pylon netting is ideal for divider netting. #420 Knotless Polypropylene (Pylon) is 1-1/2" square mesh and has a 125# break strength. Choose from Black or White. Weather treated to withstand moisture and sunlight. Netting is finished with a vinyl border and provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".

1-1/2" SQ Mesh

Lightweight, 125 lb. break strength  
Black, Tape Bound with Grommets (Item # 29102B)  
White, Tape Bound with Grommets (Item # 29102W)




## ○ Premium Knotless Polypropylene HTPP

This Premium high tenacity Polypropylene (Pylon) netting offers maximum longevity and durability. Pylon netting is ideal for high impact applications. 3.0 mm has a 250# break strength and is available in Black, Dark Green or White. Netting is treated and extruded through the fibers for maximum weather and UV resistance. Netting is finished with a vinyl border and provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".

3.0 mm; 1-3/4" SQ Mesh

Medium Weight, 250 lb break strength  
Black, Tape Bound with Grommets (Item # 22260)  
White, Tape Bound with Grommets (Item # 22262)



## ○ #18 Knotted HDPE Prefabricated Divider Panels

These prefabricated divider netting panels can be used indoors or outdoors. This high density Polyethylene (HDPE) netting offers maximum longevity and durability. Panels are constructed of black #18 knotted 1-3/4" sq. mesh netting with a 125 lb break strength. This HDPE netting is ideal for low impact applications. Netting is treated and extruded through the fibers for maximum weather and UV resistance.

## ○ Rope Border 10' x 60' Panels

Outside perimeter has a reinforced sewn rope border making it flexible and easy to hang.  
1-3/4" SQ Mesh  
Lightweight, 125 lb break strength  
10' x 60' (Item # 32014)



## ○ Vinyl Border 10' x 65' Panels

Reinforced vinyl border provides a defined frame for the netting. Vinyl border is double stitched with brass grommets spaced every 18".  
1-3/4" SQ Mesh  
Lightweight, 125 lb break strength  
10' x 65' (Item # 32020)



## ○ Vinyl Court Signs

Constructed of 18 oz. vinyl, perimeter is hemmed with grommets.

Court Numbers (Item # 22204)  
Numbers are from 1 through 20 and measure 9" H. Signs measure 12" x 12"

Exit Sign (Item # 22202)  
Red vinyl with white letters measuring 9" high. Sign measures 18"H x 36"L



## ○ Replacement Kickplates



VCP Mesh Kickplate  
18" High with Velcro Top



Solid Vinyl Kickplate  
12" High with Velcro Top



Netting Kickplate  
24" High with Velcro Top





**5661 Brownfields Drive | Baton Rouge, LA 70811**

**855-774-9974 | [info@qualitycourt.com](mailto:info@qualitycourt.com) | [www.qualitycourt.com](http://www.qualitycourt.com)**

